

Outdoor rattan four-piece set with external leakage

Model BST-TB-16

Technical Specifications & Product Selection



Table: W105 x D65 x H40 Single sofa:
W50 x D60 x H78 Double sofa: W115 x
D6

Size

41 x 16 x 1.8/23 x 1.8

Galvanized steel pipe specifications

Off-white polyester waterproof fabric.
Sponge: H95; Standing cotton: 1300g;

Fabric

Product code: EXC-1787904020582608

Contents

Use the specification pages first, then review selection conditions, current product views and the final configuration record.

Technical Specifications	03
Selection Logic & Application Fit	04
Product Views	05
Product Views – Continued	06
Product Views – Continued	07
Configuration & Component Relationships	08
Structure Decomposition	09
Configuration & Order Confirmation	10

Reading rule

Use only the values and configuration stated for this exact product. Keep different ratings, options and operating conditions separate; an image does not create an unlisted specification.

CORE PRODUCT DATA

Technical Specifications

Outdoor rattan four-piece set with external leakage / Model BST-TB-16

Specification	Current product data
Size	Table: W105 x D65 x H40 Single sofa: W50 x D60 x H78 Double sofa: W115 x D62 x H78
Galvanized steel pipe specifications	41 x 16 x 1.8/23 x 1.8
Fabric	Off-white polyester waterproof fabric. Sponge: H95; Standing cotton: 1300g; Back cushion: filled with PP cotton at a density of 0.7 kg.
Powder	Black sand texture
Rattan weaving specifications	Black round rattan 4mm
Net weight kg	39.85
Load-bearing capacity kg	The single sofa has a safe load capacity of 130-140 kg, while the double sofa can safely support 220-240 kg.
Gross weight kg	42.35

How to read this data

Review table and chair composition, dimensions, materials, finish and spatial arrangement. Do not combine values from different options or infer missing ratings from the product image.

SELECTION & FIT

Selection Logic & Application Fit

Current product scope

Open-weave rattan craftsmanship: An open, airy weave that’s both breathable and visually striking, with a minimalist outdoor aesthetic perfectly suited for patios, terraces, balconies, and the outdoor seating areas of guesthouses.

Step	Selection input
01	Required seating and table capacity
02	Overall footprint and circulation route
03	Frame, surface and finish version
04	Exact pieces and fittings included in the set

Decision boundary

Confirm the exact model, stated technical fields, site relationship and expressly included configuration together. Omitted data is not replaced by an industry average or a nearby model.

CURRENT PRODUCT IMAGES

Product Views

The grouped images provide a concise overview of the current product form, visible systems and configuration relationships.



View scope

Use these views for product recognition, visible configuration and space/interface review. Technical values remain controlled by the specification table and written order.

CURRENT PRODUCT IMAGES

Product Views – Continued

The grouped images provide a concise overview of the current product form, visible systems and configuration relationships.



View scope

Use these views for product recognition, visible configuration and space/interface review. Technical values remain controlled by the specification table and written order.

CURRENT PRODUCT IMAGES

Product Views – Continued

The grouped images provide a concise overview of the current product form, visible systems and configuration relationships.



View scope

Use these views for product recognition, visible configuration and space/interface review. Technical values remain controlled by the specification table and written order.

STRUCTURE & CONFIGURATION

Configuration & Component Relationships

Rattan Backrest Panel

Woven back geometry supports the upper body and transfers reclined force into both side frames.

Seat Cushion Assembly

Removable seat cushioning spreads body weight evenly and allows practical cleaning during daily use.

Back Cushion Assembly

Contoured back padding softens lumbar contact and remains aligned with the woven structural support.

Left Tubular Frame

The left structural frame carries arm and seat loads while locating the backrest and base.

Right Tubular Frame

Opposite-side framing closes the load path and maintains correct alignment between seat and back.

Configuration boundary

Component names identify stated or visible product groups only. The exact installed version and inclusion of accessories are confirmed in the applicable order.

STRUCTURE

Structure Decomposition

This current-product structure view supports assembly recognition and configuration review. It is intended for product identification and option verification.



Selection significance

Confirm that the depicted assemblies and connection relationships match the exact model and ordered configuration. Do not infer hidden components or service steps from the image.

FINAL SELECTION RECORD

Configuration & Order Confirmation

Confirmation item	Record
Current product name	Outdoor rattan four-piece set with external leakage
Model	BST-TB-16
Category	Leisure Table and Chair Set
Required task / application	
Critical specification fields	
Site, route or installation boundary	
Standard configuration	
Options / accessories included	
Customer / project	
Reviewed by / date	

Release condition

Approve the selection only when identity, technical data, site conditions and the written configuration record agree. A product image or category label does not add an unstated option or rating.